			3 7		
ITEM#	QTY	PART#	PART TITLE		
-1	1	RBW6700G03031-6F-1	LOWER ARM PLATE		
-2	2	RBW6700G03031-6F-2	PIN		
-3	1	RBW6700G03031-6F-3	PROTECTION 1		
-4	1	RBW6700G03031-6F-4	PROTECTION 2		
5	2	McMaster#91882A425 OR EQUIV	STEEL BLACK OXIDE RAISED KNURL-HEAD THUMB SCREW 1/4"-20 X 3/4" LG. X 1" HEAD DIA.		
6	2	McMaster#90128A242 OR EQUIV	STEEL ZINC PLATED SOCKET HEAD SCREW 1/4"-20 X 1/2" LG.		
7	1	McMaster#90177A213 OR EQUIV	ZINC PLATED STEEL SPLIT RING 9/16" OD x 7/16" ID. x 1/16" THK		
8	2	McMaster#3896T31 OR EQUIV.	ALUMINUM WIRE ROPE COMPRESSION SLEEVE 1/16" DIA. X 3/8" LG.		
9	AR	CARR LANE#CL-2-C	STEEL NYLON COATED 1/16" DIA. LANYARD		
10	1	NAS1756-12	REMOVE BEFORE FLIGHT FLAG		

11 9

NOTES:

В

D

1) MATERIAL: N/A 2) HEAT TREAT: N/A

3) FINISH: N/A

4) TOLERANCES: X.X = +/- 0.1" / +/- 1° X.XX = +/- 0.01" / +/- 0.5°

X.XXX = +/-0.005" / +/-0.1°

X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"

5) UNITS: INCHES UNLESS OTHERWISE NOTED

6) IDENTIFICATION: N/A 7) ASSEMBLE AS SHOWN

8) APPLY RED THREADLOCKER LOCTITE 263/262 ON THREADS OF ITEM 6 THEN ASSEMBLE WITH ITEM -2, AND REMOVE EXCESS
9) INSTALL ITEM 5 AND ITEM 6 HAND TIGHT
10) APPLY INSTANT ADHESIVE LOCTITE 495 BETWEEN THE SURFACES
OF ITEM -3, -4 AND ITEM -1 CUT INVESTIGATION OF THE SURFACES

11) ASSEMBLÉD LANYARD LENGTH MUST BE 6" +/- 1"

12) THE TOOL ASSY MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG

	Α	NEW ISSUE			19-676	VM
	REV.			DESCRIPTION	ECN#	BY
	DESIG	IGN VM		DART AEROSPACE LTD		
	DRAW	N	VM	HAWKESBURY ONTARIO CANADA		

CHECKED MFG. APPR. APPROVED DATE 4/2/2019

TOOL PART # RBW6700G03031-6F

SHEET 1 OF 5 SCALE SCALE

LOWER ARM PLATE ASSY

COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT

REV. A

RBW6700G03031-6F LOWER ARM PLATE ASSY

3

3

2







